Eurasian Journal of Physics and Functional Materials 2018, **2**(1), 54-60

# Study of Fe<sub>3</sub>O<sub>4</sub> nanoparticles degradation process

A. Kozlovskiy\*, D. Tuleubayeva, K.K. Kadyrzhanov

Institute of Nuclear Physics, Almaty, Kazakhstan \*e-mail: artem88sddt@mail.ru

#### Received: 16.03.2018

The purpose of this work was to study the oxidation and destruction processes of Fe  $_3$  O  $_4$  nanoparticles. As a result, dynamic changes in structure and phase composition of Fe  $_3$  O  $_4$  nanoparticles in various pH media was set. The acidity and time dependence of degradation degree on the pH medium was established. It was associated with the appearance of amorphous regions which is due to the presence of hydroxide compounds. By understanding of the nanoparticles degradation rate and degree it becomes possible to clarify the residence time for the nanoparticles, which in turn makes them potential materials for biomedical application. The causes are the high oxygen content and the formation of hydroxide compounds in the structure, as well as subsequent corrosion processes being capable of causing a destruction of the structure.

Keywords: nanostructure, crystal structure, degradation, iron oxide, biomedicine.

#### Introduction

Production of new structural materials with unique properties is one of the actual problems of the modern technology. In turn, quality of metallic nanostructures depends on the production method, which determines its structural characteristics and physicochemical properties [1-3].

Recently, magnetic nanoparticles, in particular iron oxide (FeO) nanoparticles are of great interest because of their perspective application in making new materials for engineering, ecology and medicine [4-6]. Nanoparticles are biocompatible and can be used in solving various medical problems. Materials based on metal nanoparticles are widely used due to their high specific surface values and the number of surface atoms ratio to the number of the volume atoms in particles. Furthermore, because of the possession of an unusual combination of electrical, magnetic and optical properties that are not characteristic to their bulky counterparts, specific electronic structure of nanoparticles are rather close to the semiconductors [4-7].

The synthesis of Fe-based nanoparticles is very interesting and promising, because of their abundance, relatively low cost as well as new unique properties in the nanoscale. As we know, iron is an essential bio-element and plays an active role in the body as it is an activator of many catalytic processes and participates in the gas transportation in the blood [8-10]. The resistance to oxidation and destruction in media with different acidity, which is determined by the concentration of H<sup>+</sup> and OH<sup>-</sup> ions is one of the most important properties of nanoparticles. Hydrogen index (pH) is a value that characterizes the concentration of hydrogen ions in solutions. For deionized water, from which medical injections are usually prepared, the pH is in the range of 6.5-7, which is typical for a neutral and slightly acidic media, the pH of saline is 5.5 pH and pH of blood is ranged 7.32-7.43.

In this paper, the degradation dynamic of  $Fe_3O_4$  nanoparticles in media with various pH was examined, which determines the period for the nanostructures' applicability and their destruction rate. A detailed analysis of the changes in the structural properties was done. Morphological and structural properties have been studied using scanning electron microscopy, energy dispersive and X-ray diffraction analysis.

# Experimental

A mixture of iron chlorides (II), (III) and ammonium hydroxide was used as a starting material for the synthesis of iron oxide nanoparticles. The reaction for the formation of oxide nanoparticles can be presented as below:  $FeCl_2 + 2FeCl_3 + 8NH_3 \cdot H_2 O Fe_3 O_4 + 8NH_4 Cl + 4H_2 O.$ 

2M of FeCl<sub>2</sub> was dissolved in 2M HCl (1:1) and 1M of FeCl<sub>3</sub> was dissolved in 2M HCl with a molar ratio of 1:2. Then 50 ml NH<sub>4</sub> OH (0.7 M) was added after each 5-10 minutes, while stirring by a magnetic stirrer. After the synthesis, the obtained samples were washed in an ultrasound bath and dried at a temperature of 50°C for 24 hours.

The structure and size of the synthesized nanoparticles were studied by using Scanning Electron Microscope (SEM) JEOL JSM-7600F. Energy-dispersive spectrum analysis of nanoparticles was carried out on Scanning Electron Microscope at Hitachi TM3030 and Bruker XFlash MIN SVE, at an accelerating voltage of 15.0 kV, LEI regime. X-ray diffraction analysis was carried out on a D8 AD-VANCE ECO diffractometer (Bruker, Germany) using CuK  $\alpha$  radiation. Phase identification and crystal structure studies were performed on BrukerAXSD-IFFRAC.EVAv/4.2 software and the international ICDD PDF-2 database.

In order to study the reactivity, three aqueous solutions with different pH values were chosen: pH1 (strongly acidic medium), pH 5 and pH 7 (neutral acidic medium). The most common chemical reagent used for reducing the high pH of aqueous solutions is HCl. Gradual increase in the concentration of hydrogen ions in the solutions was achieved by using slightly concentrated (0.01M) HCl. The pH rates of solutions were monitored by using a pH meter (Hanna Instruments HI2210-02) within 1 to 10 days.

### **Results and Discussion**

The SEM image presented in Figure 1a shows that the synthesized nanoparticles are spherical. The size dimensions of the samples ranged from 8.64 to 28 nm, with the average diameter of 18.9 nm

From the XRD analysis the following conclusions were made: low-intensity peaks are responsible for X-ray scattering on nanoscale objects, synthesized nanoparticles are polycrystalline Fe<sub>3</sub>O<sub>4</sub> (magnetite), with a unit cell parameter of a=8.34708 Å, which is different from the reference value. According to the Scherer equation the average crystallinity size was calculated to be 15.93 nm. The crystal lattice parameter was calculated using the Nelson-Taylor extrapolation function:



Figure 1. a – SEM image of the iron oxide nanoparticles; b – X-ray diffraction of the nanoparticles.

$$a = f\left[\frac{1}{2}\left(\frac{\cos^2\theta}{\sin\theta} + \frac{\cos\theta}{\theta}\right)\right].$$
 (1)

The value and error in determining a parameter were found by linear extrapolation of this function to the zero value of the argument ( $\theta = 90^{0}$ ). Table 1 illustrates the x-ray diffraction data of the sample.

Table	e 1.	
Crys	tal structure	data.

Phase	hkl	$2\theta^o$	d, Å	L,	Cell pa-	FWHM	Crystallinity	Phase
				nm	rameter,		degree, %	con-
					Å			tent,
								%
Fe3O4	111	18.146	4.88486	11.30	a=8.34708	0.791	73	100
	220	30.403	2.93763	13.81		0.662		
	311	35.719	2.51172	13.63		0.680		
	222	37.237	2.41270	30.98		0.301		
	400	43.207	2.09234	12.95		0.733		
	422	53.617	1.70794	16.39		0.603		
	511	56.980	1.61487	15.35		0.656		
	440	62.512	1.48459	13.03		0.794		

In approximation of lines on the diffractogram the necessary number of symmetric pseudo-Voigt functions, the full width at half maximum (FWHM) was measured. It allowed us characterizing the perfection of the crystal structure and estimating the degree of crystallinity. As a result of the treatment, it was found that the crystallinity degree for the initial sample was 73%. Effect of pH on the crystal structure of Fe<sub>3</sub>O<sub>4</sub> nanoparticles was studied by using EDS and XRD methods. The elemental composition dependence of the nanoparticles as a function of the pH media and the retention time in the corresponding solutions are shown in Figure 2.

As it is clear from the graph (Figure 2), there is a sharp increase in the oxygen concentration in an aggressive media, which may be associated with nanoparticles' amorphization. Meanwhile, for neutral media, elemental composition change is insignificant. Furthermore, XRD was used to determine the oxidation and structural change of the nanoparticles. XRD patterns of the samples studied in media with different pH are shown in Figure 3.



Figure 3. XRD diffractograms of Fe3O4 nanoparticles in media with dÍ=1 (a), dÍ=5 (b), dÍ=7 (c): (1) – initial; (2) – 1 day; (3) – 3 days; (4) – 5 days; (5) – 7 days; (6) – 10 days.

From the observed variety of peak intensities and shapes it is assumed that amorphization of the structure and partial degradation of nanoparticles occur in acidic media after 3 days in a medium with pH = 1 and 5. In addition, the broad peaks of hydroxides FeO (OH) were observed in aggressive media on the third day, and for medium with pH = 5 on the fifth day. According to the obtained diffractograms, the Fe<sub>3</sub>O<sub>4</sub> peak intensities decreased with the increase of residence time in solutions, while the hydroxide phase of FeO (OH) peaks intensity increased. Based on the peak shape analysis, contribution of various phases in the crystalline structure of nanoparticles during the oxidation process were obtained.

Table 2 present the results of the phase composition assessment.

Quantitative data of the phase composition nanoparticles, 70.						
Time	1 pH		5	рН	7 pH	
	Fe <sub>3</sub> O <sub>4</sub>	FeO(OH)	Fe <sub>3</sub> O <sub>4</sub>	FeO(OH)	Fe <sub>3</sub> O <sub>4</sub>	FeO(OH)
Initial	100	-	100	-	100	-
1 day	100	-	100	-	100	-
3 days	96	4	100	-	100	-
5 days	91	9	100	-	100	-
7 days	85	15	92	8	100	-
10 days	79	21	86	14	100	-

Quantitative data of the phase composition nanoparticles, %

As can be seen from the presented data, for nanoparticles being in very acid media, the formation of the hydroxide phase of FeO(OH) begins on third day with oxygen content exceeded 65%, while in neutral media hydroxide phases are not detected. From XRD analysis, we could evaluate the crystallinity degree of obtained nanoparticles, also to trace the dynamic changes of amorphization of the structure in media with different pH. When the lines on the diffractogram were approximated by the necessary number of symmetric pseudo-Voigt functions, the width of registered lines at half their height (FWHM) was measured, which allowed characterizing the perfection of the crystal structure and the degree of crystallinity. The pseudo-Voigt functions used to approximate the profile of X-ray peaks at the diffractogram:

$$PV(x, x_0, \eta, b_L, b_G, A) = A \left[ 1(1 - \eta) \times G(x, x_0, b_G) + \eta \times L(x, x_0, b_L) \right], \quad (2)$$

$$G(x, x_0, b_G) = \exp\left[-\frac{(x - x_0)^2}{2b_G^2}\right],$$
(3)

$$L(x, x_0, b_L) = \frac{1}{1 + \left(\frac{x - x_0}{b_L}\right)^2},$$
(4)

where *x* is the variable corresponding to the reflection angle  $2\theta$ ;  $x_0$  specifies the position of function maximum;  $\eta$  is the specific fraction of the Lorentz function; A is a normalizing factor;  $b_G$  and  $b_L$  are the parameters of Gaussian functions  $G(x, x_0, b_G)$  and Lorentz  $L(x, x_0, b_L)$ . As a criterion for such a correspondence, the root-mean-square deviation can be used, the minimum value of which, with a variation of these parameters, corresponds to their optimal set:

Table 2.

$$\sigma = \sqrt{\frac{\sum_{i} (PV(x, x_0, \eta, b_L, b_G, A)_i - I_i)^2}{n}},$$
(5)

where is the value of the pseudo-Voigt function,  $I_i$  is the value of the experimental intensity, i is the number of the reflex profile point, and n is the number of points in the profile. The results are presented in Table 3.

	0 1		
Time	pH 1	pH 5	pH 7
Initial	73±2%	73±2%	73±2 %
1 day	69±3%	70±3%	72±3%
3 days	65±2%	68±3%	70±1%
5 days	54±3%	65±2%	68±2%
7 days	49±4%	59±3%	65±2%
10 days	39±3%	54±3%	$60\pm2\%$

Table 3. Data on the crystallinity degree of nanoparticles.

As it is clear from the table 3 the crystallinity degree of initial sample decreased from 73% to 54% on 5th day and to 39% on 10th day in a medium with a pH=1. This kind of transformation can be seen in a medium with pH=5, where the crystallinity decreases to 65% on 5th day and to 54% on 10th day. It was found that a decrease in the crystallinity degree below 50% leads to a high amorphization degree and partial destruction of the structure due to a large oxygen amount and the formation of hydroxide compound, as well as subsequent corrosion processes capable of causing structural destruction. According to the obtained data, the appearance of hydroxide compound FeO(OH) is characteristic to the decrease of crystallinity degree below 60%. An analysis of the data showed relation between oxide content and nanoparticles amorphization. With the increases oxide content in an acidic medium with pH=1 the degree of texture decreases leading to the nanoparticles amorphization, and in the case of neutral media, the change in the texture coefficients is negligible. From the above data, it can be summarized that a typical iron oxidation occurs. Iron in an acidic medium is oxidized to  $Fe^{2+}$ . The reactions are presented in Figure 4.

$$Fe(s) + 1/2 O_{2}(g) \longrightarrow FeO(s)$$

$$Fe(s) + 2H_{2}O + O_{2} \longrightarrow 2Fe(OH)_{2}(s)$$

$$Fe(s) + 2H^{+} \longrightarrow Fe^{2+}(I) + H_{2}(g)$$

$$Fe(OH)_{2}(s) + 2HCI \longrightarrow FeCI_{2}(I) + 2H_{2}O$$

$$FeO(s) + 2HCI \longrightarrow FeCI_{2}(I) + H_{2}O$$

$$Figure 4. Reactions of Iron Oxidation.$$

 $Fe_3O_4$  has a spinel structure with formula of  $Fe_2 + Fe_2^{3+}O_4^{2-}$ . Allocation of this compound is as following:  $Fe^{2+}$  cations and a half of the  $Fe^{3+}$  cations occupy octahedral sites, while the other half of the  $Fe^{3+}$  cations occupy tetrahedral sites. As a result of the structure degradation, a decrease of  $Fe^{3+}$  ions can be

explained with a high concentration and mobility of the H<sup>+</sup> cations at pH=1. Consequently a rapid interaction of H+ ions with Fe<sub>3</sub>O<sub>4</sub> and the formation of FeO(OH) with decrease of Fe<sup>3+</sup> ions occurs. The H<sup>+</sup> cation concentration is very low at pH=7, therefore there is no destruction in the crystal structure of Fe<sub>3</sub>O<sub>4</sub>. At pH=5, an insignificant change of the Fe<sup>3+</sup> cations is observed.

# Conclusions

The change of structural properties and phase composition of nanoparticles  $Fe_3O_4$  in various pH media has been studied. The degradation degree dependence on acidity and residence time in the media has been also studied. This process is associated with the appearance of amorphous regions, which in its turn is due to the appearance of hydroxide compounds. The appearance of amorphous inclusions leads to an increase in the structure deformation, and a decrease in the crystallinity degree below 50% results in a high degree of amorphization of the structure and partial destruction of the structure. The causes are the high oxygen content and the formation of hydroxide compounds in the structure, as well as subsequent corrosion processes being capable of causing a destruction of the structure.

#### References

[1] E.Veena Gopalan et al., Nanoscale Res Lett. 5 (2010) 889–897.

[2] L.G. Vivas et al., Nanotechnology, 24 (2013) 105703.

[3] J.Sarkar et al., Bull. Mater. Sci. 30 (2007) 271-290.

[4] S.K. Yen et al., Theranostics, **3** (2013) 986–1003.

[5] M. Safi et al., ACS Nano. 5 (2011) 5354–5364.

[6] M. Eisenstein, Nat. Methods, 2 (2005) 484–484.

[7] R. Asomoza et al., J. Mater. Sci. Mater. Electron. 11 (2000) 383.

[8] S.J. Eichhorn et al., J Mater Sci. 45 (2010) 1–33.

[9] Q.Pankhurst and J. Connolly, J. Phys. D. 36 (2003) 167–181.

[10] S.Mura and J.Nicolas, P. Nat. Mater. **12** (2013) 991–1003.